

First aid for healthcare providers course

Introduction

SECTION 1: First aid for adults

SECTION 2: First aid for children

Activity summary

- Activity title: First aid
- Release date: 2021-06-01
- Expiration date: 2024-06-01
- Estimated time to complete activity: 4 hours
- This course is accessible with any web browser.
- This course is jointly provided by Pacific Medical Training and Postgraduate Institute for Medicine (PIM). You may reach PIM at inquiries@pimed.com

Target audience

This activity has been designed to meet the educational needs of physicians, physician assistants, nurse practitioners, registered nurses, pharmacists and dentists involved in the care of patients who require first aid. This course is also applicable to persons not working in health care.

Educational objectives

After completing this activity, the participant should be better able to:

- Explain how to apply the various first aid interventions.
- Describe how to apply the various pediatric first aid interventions.

Faculty

- Judith Haluka, EMT-Paramedic – State of Pennsylvania

Disclosure of unlabeled use

This educational activity may contain discussion of published and/or investigational uses of agents that are not indicated by the Food and Drug Administration (FDA). The planners of this activity do not recommend the use of any agent outside of the labeled indications.

The opinions expressed in the educational activity are those of the faculty and do not necessarily represent the views of the planners. Please refer to the official prescribing information for each product for discussion of approved indications, contraindications, and warnings.

Disclaimer

Participants have an implied responsibility to use the newly acquired information to enhance patient outcomes and their own professional development. The information presented in this activity is not meant to serve as a guideline for patient management. Any procedures, medications, or other courses of diagnosis or treatment discussed or suggested in this activity should not be used by clinicians without evaluation of their patient's conditions and possible contraindications and/or dangers in use, review of any applicable manufacturer's product information, and comparison with recommendations of other authorities.